Contents of volume 40

No. 1 (pp 1–172) published October 1993
No. 2/3 (pp 173–456) published November 1993
No. 4 (pp 457–594) published December 1993
No. 5 (pp 595–772) published January 1994
No. 6 (pp 773–952) published February 1994

Original papers

Adone R, Ciuchini F, Pistoia C, Piccininno G: In-vitro and in-vivo immunobiological properties of murine monoclonal anti-*Brucella* antibodies 818

Amaki Y, Nakano H, Yamane T: Role of cysteine residues in esterase from *Bacillus stearothermophilus* and increasing its thermostability by the replacement of cysteines 664

Amrane A, Prigent Y: Lactic acid production from lactose in batch culture: analysis of the data with the help of a mathematical model; relevance for nitrogen source and preculture assessment 644

Arzamastsev A, Kristapsons M: Computer simulation of temperature autostabilization: an analysis of the phenomenon 77

Asahara N, Murakami K, Korbrisate S, Hashimoto Y, Murooka Y: Cloning and characterization of the *hemA* gene for synthesis of δ-aminolevulinic acid in *Xanthomonas campestris* pv. *phaseoli* 846

Bailey MJ, Buchert J, Viikari L: Effect of pH on production of xylanase by *Trichoderma reesei* on xylan- and cellulose-based media 224

Bassit N, Cochet N, Lebeault JM: Influence of water activity on *Streptococcus diacetylactis* metabolism 399

Beattie L, Bhat KM, Wood TM: The effect of cations on reassociation of the components of the cellulosome cellulase complex synthesized by the bacterium *Clostridium thermocellum* 740

Beeton S, Bellhouse BJ, Knowles CJ, Millward HR, Nicholson AM, Wyatt JR: A novel membrane bioreactor for microbial growth 812

Belinky PA, Masaphy S, Levanon D, Hadar Y, Dosoretz CG: Effect of medium composition on 1-octen-3-ol formation in submerged cultures of *Pleurotus pulmonarius* 629

Bergkamp RJM, Bootsman TC, Toschka HY, Mooren ATA, Kox L, Verbakel JMA, Geerse RH, Planta RJ: Expression of an α-galactosidase gene under control of the homologous inulinase promoter in *Kluyveromyces marxianus* 309

Bestetti G, Di Gennaro P, Galli E, Leoni B, Pelizzoni F, Sello G, Bianchi D: Bioconversion of substituted naphthalenes to the corresponding salicylic acids 791

Bezalel L, Shoham Y, Rosenberg E: Characterization and delignification activity of a thermostable α-L-arabinofuranosidase from *Bacillus stearothermophilus* 57

Bianchi D, Battistel E, Cesti P, Golini P, Tassinari R: Substrate specificity and stereoselectivity of hydrolytic enzymes from *Brevibacterium imperiale* B222 53

Bierbaum G, Karutz M, Weuster-Botz D, Wandrey C: Production of protease with *Bacillus licheniformis* mutants insensitive to repression of exoenzyme biosynthesis 611

Bleicher K, Winter J: Formate production and utilization by methanogens and by sewage sludge consortia – interference with the concept of interspecies formate transfer 910

Boer AS de, Priest F, Diderichsen B: On the industrial use of *Bacillus licheniformis:* a review 595

Brunsbach FR, Reineke W: Degradation of chloroanilines in soil slurry by specialized organisms 402

Buchert J, Ranua M, Siika-aho M, Pere J, Viikari L: *Trichoderma reesei* cellulases in the bleaching of kraft pulp 941

Cachon R, Diviès C: Modeling of growth and lactate fermentation by *Lactococcus lactis* subsp. *lactis* biovar. *diacetylactis* in batch culture 28

Castillo Pompeyo C, Suárez Gómez M, Gasparian S, Morlon-Guyot J: Comparison of amylolytic properties of *Lactobacillus amylovorus* and of *Lactobacillus amylophilus* 266

Castrillo JI, Ugalde UO: Patterns of energy metabolism and growth kinetics of *Kluyveromyces marxianus* in whey chemostat culture 386

Chan E-C, Tsai H-L, Chen S-L, Mou D-G: Amplification of the tryptophan operon gene in *Escherichia coli* chromosome to increase L-tryptophan biosynthesis 301

Chen M-H, Johns MR: Effect of pH and nitrogen source on pigment production by *Monascus purpureus* 132

Cocaign M, Monnet C, Lindley ND: Batch kinetics of *Corynebacterium glutamicum* during growth on various carbon substrates: use of substrate mixtures to localise metabolic bottlenecks 526

Copa-Patiño JL, Kim YG, Broda P: Production and initial characterization of the xylan-degrading system of *Phanerochaete chrysosporium* 69

Dahlberg L, Holst O, Kristjansson JK: Thermostable xylanolytic enzymes from *Rhodothermus marinus* grown on xylan 63

Degnan BA, Macfarlane GT: Effect of dilution rate and carbon availability on *Bifidobacterium breve* fermentation 800

DeLeo PC, Ehrlich HL: Reduction of hexavalent chromium by *Pseudomonas fluorescens* LB300 in batch and continuous cultures 756

Delgado L, Trejo BA, Huitrón C, Aguilar G: Pectin lyase from *Aspergillus* sp. CH-Y-1043 455

Diefenthal T, Dargatz H, Witte V, Reipen G, Svendsen I: Cloning of proline-specific endopeptidase gene from *Flavobacterium meningosepticum:* expression in *Escherichia coli* and purification of the heterologous protein 90

Eriksen SH, Jensen B, Schneider I, Kaasgaard S, Olsen J: Utilization of side-chain precursors for penicillin biosynthesis in a high-producing strain of *Penicillium chrysogenum* 883

Esser K: Meiotic recombination in *Cochliobolus pallescens* as a tool for strain improvement 515

Fava F, Di Gioia D, Marchetti L, Quattroni G, Marraffa V: Aerobic mineralization of chlorobenzoates by a natural polychlorinated biphenyl-degrading mixed bacterial culture 541

Flipphi MJA, Panneman H, Veen P van der, Visser J, Graaff LH de: Molecular cloning, expression and structure of the endo-1,5-α-L-arabinase gene of *Aspergillus niger* 318

Föllner CG, Babel W, Valentin HE, Steinbüchel A: Expression of polyhydroxyalkanoic-acid-biosynthesis genes in methylotrophic bacteria relying on the ribulose monophosphate pathway 284

Freisleben H-J, Henkel L, Gutermann R, Rudolph P, John G, Sternberg B, Winter S, Ring K: Fermentor cultivation of *Thermoplasma acidophilum* for the production of cell mass and of the main phospholipid fraction 745

Freitas dos Santos LM, Livingston AG: A novel bioreactor system for the destruction of volatile organic compounds 151

Gabelsberger J, Liebl W, Schleifer K-H: Purification and properties of recombinant β-glucosidase of the hyperthermophilic bacterium *Thermotoga maritima* 44

Galindo E, Salcedo G, Ramírez ME: Preservation of *Xanthomonas campestris* on agar slopes: effects on xanthan production 634

Genovefa Z, Wenzig E, Mersmann A: Improvement of lipase production by addition of catalase during fermentation (short contribution) 650

Gerhard E, Butsch BM, Marison IW, Stockar U von: Improved growth and methane production conditions for *Methanobacterium thermoautotrophicum* 432
Gilbert M, Yaguchi M, Watson DC, Wong KKY, Breuil C, Saddler JN: A comparison of two xylanases from the thermophilic fungi *Thielavia terrestris* and *Thermoascus crustaceus* 508
Gírio FM, Amaral-Collaço MT, Attwood MM: The effect of molybdate and tungstate ions on the metabolic rates and enzyme activities in methanol-grown *Methylobacterium* sp. RXM 898
Gray MR, Banerjee DK, Fedorak PM, Hashimoto A, Masliyah JH, Pickard MA: Biological remediation of anthracene-contaminated soil in rotating bioreactors 933
Gubler M, Park SM, Jetten M, Stephanopoulos G, Sinskey AJ: Effects of phosphoenol pyruvate carboxylase deficiency on metabolism and lysine production in *Corynebacterium glutamicum* 857
Guyot J-P, Gutierrez G, Rojas MG: Anaerobic microbial counts of different potential anaerobic inocula 139
Haapala R, Linko S: Production of *Phanerochaete chrysosporium* lignin peroxidase under various culture conditions 494
Häner A, Mason CA, Hamer G: Aerobic thermophilic waste sludge biotreatment: carboxylic acid production and utilization during biodegradation of bacterial cells under oxygen limitation 904
Halfmeier H, Schäfer-Treffenfeldt W, Reuss M: Potential of *Thiobacillus ferrooxidans* for waste gas purification. Part 1. Kinetics of continuous ferrous iron oxidation 416
Halfmeier H, Schäfer-Treffenfeldt W, Reuss M: Potential of *Thiobacillus ferrooxidans* for waste gas purification. Part 2. Increase in continuous ferrous iron oxidation kinetics using immobilized cells 582
Hassan M, Blanc PJ, Granger L-M, Pareilleux A, Goma G: Lipid production by an unsaturated fatty acid auxotroph of the oleaginous yeast *Apiotrichum curvatum* grown in single-stage continuous culture 483
Heinze U, Rehm H-J: Biodegradation of dichloroacetic acid by entrapped and adsorptive immobilized *Xanthobacter autotrophicus* GJ10 158
Heluane H, Spencer JFT, Spencer D, Figueroa L de, Callieri DAS: Characterization of hybrids obtained by protoplast fusion, between *Pachysolen tannophilus* and *Saccharomyces cerevisiae* 98
Hermes HFM, Croes LM, Peeters WPH, Peters PJH, Dijkhuizen L: Metabolism of amino acid amides in *Pseudomonas putida* ATCC 12633 519
Hommel RK, Stegner S, Huse K, Kleber H-P: Cytochrome P-450 in the sophorose-lipid-producing yeast *Candida (Torulopsis) apicola* 724
Hommel RK, Lassner D, Weiss J, Kleber H-P: The inducible microsomal fatty alcohol oxidase of *Candida (Torulopsis) apicola* 729
Honda K, Fujieda H, Ogawa K, Imai M, Yamamoto H, Ikeda T, Yamane K: Extracellular production of human hepatitis B virus preS2 antigen as hybrid proteins with Bacillus subtilis α-amylases in high-salt-concentration media 341
Hübner U, Bock U, Schügerl K: Production of alkaline serine protease subtilisin Carlsberg by *Bacillus licheniformis* on complex medium in a stirred tank reactor 182
Hunik JH, Meijer HJG, Tramper J: Kinetics of *Nitrobacter agilis* at extreme substrate, product and salt concentrations 442
Imaoka Y, Kawamoto T, Ueda M, Tanaka A: Peptide synthesis with halophenylalanines by thermolysin 653
Jadoun J, Bar R: Microbial transformations in a cyclodextrin medium. Part 3. Cholesterol oxidation by *Rhodococcus erythropolis* 230
Jadoun J, Bar R: Microbial transformations in a cyclodextrin medium. Part 4. Enzyme vs microbial oxidation of cholesterol 477
Jahn A, Keuntje B, Dörffler M, Klipp W, Oelze J: Optimizing photoheterotrophic H_2 production by *Rhodobacter capsulatus* upon interposon mutagenesis in the *hupL* gene 687
Jayaram S, Castle GSP, Margaritis A: The effects of high field DC pulse and liquid medium conductivity on survivability of *Lactobacillus brevis* 117
Joeres U, Kula MR: Screening for a novel enzyme hydrolysing L-carnitine amide 599
Joeres U, Kula MR: Purification and characterization of a microbial L-carnitine amidase 606
Kallel-Mhiri H, Engasser J-M, Miclo A: Continuous ethyl acetate production by *Kluyveromyces fragilis* on whey permeate 201
Kemp GD, Dickinson FM, Ratledge C: Occurrence of fatty alcohol oxidase in alkane- and fatty-acid-utilising yeasts and moulds 873
Kinoshita H, Atomi H, Ueda M, Tanaka A: Characterization of the catalase of the *n*-alkane-utilizing yeast *Candida tropicalis* functionally expressed in *Saccharomyces cerevisiae* 682
Klöck G, Frank H, Houben R, Zekorn T, Horcher A, Siebers U, Wöhrle M, Federlin K, Zimmermann U: Production of purified alginates suitable for use in immunoisolated transplantation 638
Kobayashi Y, Akita M, Sakamoto K, Liu H, Shigeoka T, Koyano T, Kawamura M, Furuya T: Large-scale production of anthocyanin by *Aralia cordata* cell suspension cultures 215
Kondo A, Kaneko T, Higashitani K: Purification of fusion proteins using affinity microspheres in aqueous two-phase systems 365
Kozma J, Lucas L, Schügerl K: Alternative respiration and antibiotic production of *Acremonium chrysogenum* 463
Kunioka M, Goto A: Biosynthesis of poly(γ-glutamic acid) from L-glutamic acid, citric acid, and ammonium sulfate in *Bacillus subtilis* IFO3335 867
Kuroda S, Miyazaki T, Otaka S, Fujisawa Y: *Saccharomyces cerevisiae* can release hepatitis B virus surface antigen (HBsAg) particles into the medium by its secretory apparatus 333
Landon RS, Law RCS, Webb C: Fermentation broth rheology during dextran production by *Leuconostoc mesenteroides* B512(F) as a possible tool for control 251
Latzko F, Hampel W: Enzyme formation by a yeast cell wall lytic *Arthrobacter* sp.: formation of β(1,3)-glucanase 12
Libmond S, Savoie J-M: Degradation of wheat straw by a microbial community – stimulation by a polysaccharidase complex 567
Liebergesell M, Mayer F, Steinbüchel A: Analysis of polyhydroxyalkanoic acid-biosynthesis genes of anoxygenic phototrophic bacteria reveals synthesis of a polyester exhibiting an unusual composition 292
Lingham RB, Silverman KC, Bills GF, Cascales C, Sanchez M, Jenkins RG, Gartner SE, Martin I, Diez MT, Peláez F, Mochales S, Kong Y-L, Burg RW, Meinz MS, Huang L, Nallin-Omstead M, Mosser SD, Schaber MD, Omer CA, Pompliano DL, Gibbs JB, Singh SB: *Chaetomella acutiseta* produces chaetomellic acids A and B which are reversible inhibitors of farnesyl-protein transferase 370
Lizama HM, Sankey BM: Conversion of hydrogen sulphide by acidophilic bacteria 438
Macy JM, Lawson S, DeMoll-Decker H: Bioremediation of selenium oxyanions in San Joaquin drainage water using *Thauera selenatis* in a biological reactor system 588
Martín-Hernández MC, Alting AC, Exterkate FA: Purification and characterization of the mature, membrane-associated cell-envelope proteinase of *Lactobacillus helveticus* L89 828

McIntyre DA, Harlander SK: Construction of first-generation lactococcal integrative cloning vectors 348
Merckelbach A, Gödecke S, Janowicz ZA, Hollenberg CP: Cloning and sequencing of the *ura3* locus of the methylotrophic yeast *Hansenula polymorpha* and its use for the generation of a deletion by gene replacement 361
Messner P, Wellan M, Kubelka W, Sleytr UB: Reversible cross-linking of crystalline bacterial surface layer glycoproteins through their glycan chains 7
Meusel M, Rehm H-J: Biodegradation of dichloroacetic acid by freely suspended and adsorptive immobilized *Xanthobacter autotrophicus* GJ10 in soil 165
Meyer EC, Klein JR, Imam M, Plapp R: Cloning and sequence analysis of the X-Prolyl-dipeptidyl-aminopeptidase gene (pepX) from *Lactobacillus delbrückii* ssp. *lactis* DSM7290 82
Meyer PS, Du Preez JC: Effect of culture conditions on astaxanthin production by a mutant of *Phaffia rhodozyma* in batch and chemostat culture 780
Milstein O, Hüttermann A, Fründ R, Lüdemann H-D: Enzymatic co-polymerization of lignin with low-molecular mass compounds 760
Mobley DP: Study of biphenyl hydroxylase activity in *Aspergillus parasiticus* using a colorimetric assay 622
Monzambe KM, Kennes C, Naveau HP, Nyns EJ: Durable continuous fermentation of a model mixture of D(+)-glucose and L(−)-sodium monoglutamate under non-axenic conditions 40
Mukherjee KD, Kiewitt I, Hills MJ: Substrate specificities of lipases in view of kinetic resolution of unsaturated fatty acids 489
Muranaka T, Ohkawa H, Yamada Y: Continuous production of scopolamine by a culture of *Duboisia leichhardtii* hairy root clone in a bioreactor system 219
Muranaka T, Niwa Y, Machida Y: A model for a bioconversion system with the promoter of the *parAt* gene, which confers a high level of expression of a transgene in hairy roots 841
Nagasawa T, Shimizu H, Yamada H: The superiority of the third-generation catalyst, *Rhodococcus rhodochrous* J1 nitrile hydratase, for industrial production of acrylamide 189
Nakao M, Harada M, Kodama Y, Nakayama T, Shibano Y, Amachi T: Purification and charcterization of a thermostable β-galactosidase with high transgalactosylation activity from *Saccharopolyspora rectivirgula* 657
Nešvera J, Hochmannová J, Pátek M, Šroglová A, Bečvářová V: Transfer of the broad-host-range IncQ plasmid RSF1010 and other plasmid vectors to the Gram-positive methylotroph *Brevibacterium methylicum* by electrotransformation (Short contribution) 864
O'Brien DJ, Kurantz MJ, Kwoczak R: Production of eicosapentaenoic acid by the filamentous fungus *Pythium irregulare* 211
Ohara H, Yoshida T: A higher optical purity of L-lastic acid produced in *Streptococcus faecalis* 258
Omar SH: Oxygen diffusion through gels employed for immobilization. 1. In the absence of microorganisms 1
Omar SH: Oxygen diffusion through gels employed for immobilization. 2. In the presence of microorganisms 173
Orduz S, Diaz T, Thiéry I, Charles J-F, Rojas W: Crystal proteins from *Bacillus thuringiensis* serovar. *medellin* 794
Otte M-P, Gagnon J, Comeau Y, Matte N, Greer CW, Samson R: Activation of an indigenous microbial consortium for bioaugmentation of pentachlorophenol/creosote contaminated soils 926
Ozergin-Ulgen K, Mavituna F: Actinorhodin production by *Streptomyces coelicolor* A3(2): kinetic parameters related to growth, substrate uptake and production 457
Padmanabhan S, Murthy MVR, Lonsane BK: Potential of *Aspergillus oryzae* CFTRI 1480 for producing proteinase in high titres by solid state fermentation 499
Pandey A, Bringel F, Meyer J-M: Iron requirement and search for siderophores in lactic acid bacteria 735
Park H-J, Kreutzer R: Expression cloning of the *nox, mdh* and *ldh* genes from *Thermus* species encoding NADH oxidase, malate dehydrogenase and lactate dehydrogenase 676
Park J-C, Nemoto Y, Homma T, Jing W, Chen Y, Matsuoka H, Ohno H, Takatori K, Kurata H: Adaptation of *Aspergillus niger* to short-term salt stress 394
Park YS, Momose I, Tsunoda K, Okabe M: Enhancement of cephamycin C production using soybean oil as the sole carbon source 773
Passos FV, Fleming HP, Ollis DF, Hassan HM, Felder RM: Modeling the specific growth rate of *Lactobacillus plantarum* in cucumber extract 143
Patel RN, Banerjee A, McNamee CG, Szarka LJ: Stereoselective microbial reduction of *N*-(4-(1-oxo-2-chloroacetyl ethyl) phenyl methane sulfonamide 241
Paterson T, Innes J, Moore S: Approaches to maximizing stable expression of α_1-antitrypsin in transformed CHO cells 691
Patterson GML, Bolis CM: Regulation of scytophycin accumulation in cultures of *Scytonema ocellatum*. I. Physical factors 375
Paul E, Fages J, Blanc P, Goma G, Pareilleux A: Survival of alginate-entrapped cells of *Azospirillum lipoferum* during dehydration and storage in relation to water properties 34
Peng M, Lemke PA, Shaw JJ: Improved conditions for protoplast formation and transformation of *Pleurotus ostreatus* 101
Ponce-Noyola T, Torre M de la: Interactions in a mixed culture composed of *Cellulomonas flavigena* and *Xanthomonas* sp. growing in continuous culture on sugar cane bagasse 531
Racher AJ, Moreira JL, Alves PM, Wirth M, Weidle UH, Hauser H, Carrondo MJT, Griffiths JB: Expression of recombinant antibody and secreted alkaline phosphatase in mammalian cells. Influence of cell line and culture system upon production kinetics 851
Rättö M, Siika-aho M, Buchert J, Valkeajärvi A, Viikari L: Enzymatic hydrolysis of isolated and fibre-bound galactoglucomannans from pine-wood and pine kraft pulp 449
Rahman RNZA, Razak CN, Ampon K, Basri M, Yunus WMZW, Salleh AB: Purification and characterization of a heat-stable alkaline protease from *Bacillus stearothermophilus* F1 822
Reu JC de, Zwietering MH, Rombouts FM, Nout MJR: Temperature control in solid substrate fermentation through discontinuous rotation 261
Rintala JA, Ahring BK: Thermophilic anaerobic digestion of source-sorted household solid waste: the effects of enzyme additions 916
Russell C, Jarvis A, Yu P-L, Mawson J: Expression and secretion of wheat α-amylase in *Kluyveromyces lactis* 306
Sachidanandham R, Jayaraman K: Formation of spontaneous asporogenic variants of *Bacillus thuringiensis* subsp. *galleriae* in continuous cultures 504
Saito T, Yoshida Y, Kawashima K, Lin KH, Maeda S, Kobayashi T: Immobilization and characterization of a thermostable β-galactosidase from a thermophilic anaerobe on a porous ceramic support 618
Sand W, Hallmann R, Rohde K, Sobotke B, Wentzien S: Controlled microbiological in-situ stope leaching of a sulphidic ore 421
Sarangbin S, Kirimura K, Usami S: Citric acid production from cellobiose by 2-deoxyglucose-resistant mutant strains of *Aspergillus niger* in semi-solid culture 206

Schie BJ van, Pronk JT, Dijken JP van, Kuenen JG: Experimental and theoretical discrepancies in growth yields of *Acinetobacter calcoaceticus*: a correction of published data 270

Schwartz H, Licht R-E, Radunz H-E: Microbial metabolism of the β-adrenoreceptor antagonist bisoprolol 382

Selvapandiyan A, Bhatnagar RK: Isolation of a glyphosate-metabolising *Pseudomonas*: detection, partial purification and localisation of carbon-phosphorus lyase 876

Shabtai Y, Mandel C: Control of ethanol production and monitoring of membrane performance by mass-spectrometric gas analysis in the coupled fermentation-pervaporation of whey permeate 470

Sharma S, Ramakrishna C, Desai JD, Bhatt NM: Anaerobic biodegradation of a petrochemical waste-water using biomass support particles 768

Shieh Y-SC, Ledford RA, Tortorello ML, Dunny GM: Protein characterization of *Lactococcus lactis* ssp. *lactis* and *L. lactis ssp. cremoris* bacteriophages isolated from cheese wheys 107

Shimada S, Andou M, Naito N, Yamada N, Osumi M, Hayashi R: Effects of hydrostatic pressure on the ultrastructure and leakage of internal substances in the yeast *Saccharomyces cerevisiae* 123

Siegmund D: Oscillatory penicillin formation in carbon-limited batch fermentations of *Penicillium chrysogenum* 888

Sørensen AH, Ahring BK: Measurements of the specific methanogenic activity of anaerobic digestor biomass 427

Spiller H, Stallings Jr W, Woods T, Gunasekaran M: Requirement for direct association of ammonia-excreting *Anabaena variabilis* mutant (SA-1) with roots for maximal growth and yield of wheat 557

Steinmann D, Wiggerich H-G, Klauke B, Schramm U, Pühler A, Priefer UB: Saturation mutagenesis in *Escherichia coli* of a cloned *Xanthomonas campestris* DNA fragment with the *lux* transposon Tn*4431* using the delivery plasmid pDS1, thermosensitive in replication 356

Stieber M, Haeseler F, Werner P, Frimmel FH: A rapid screening method for micro-organisms degrading polycyclic aromatic hydrocarbons in microplates 753

Sugihara A, Hata S, Shimada Y, Goto K, Tsunasawa S, Tominaga Y: Characterization of *Geotrichum candidum* lipase III with some preference for the inside ester bond of triglyceride 279

Suzuki T, Kasai N, Yamamoto R, Minamiura N: Production of highly optically acitve (*R*)-3-chloro-1,2-propanediol using a bacterium assimilating the (*S*)-isomer (short contribution) 273

Taidi B, Anderson AJ, Dawes EA, Byrom D: Effect of carbon source and concentration on the molecular mass of poly(3-hydroxybutyrate) produced by *Methylobacterium extorquens* and *Alcaligenes eutrophus* 786

Takamizawa K, Horitsu H, Ichikawa T, Kawai K, Suzuki T: β-Hydroxypropionic acid production by *Byssochlamys* sp. grown on acrylic acid 196

Takamoto Y, Maeba H, Kamimura M: Changes in survival rate and enzyme activities in *Escherichia coli* with ozone 172

Takano H, Jeon J, Burgess JG, Manabe E, Izumi Y, Okazaki M, Matsunaga T: Continuous production of extracellular ultrafine calcite particles by the marine coccolithophorid alga *Pleurochrysis carterae* 946

Tan IKP, Fernández-Cañón JM, Reglero A, Luengo JM: Effect of analogues of phenylacetic acid (PA) on the PA transport system in *Penicillium chrysogenum* strains H1107 and M223 113

Tiltscher H, Storr M: Immobilization of the slime mould *Dictyostelium discoideum* for the continuous production of recombinant human antithrombin III 246

Timm A, Wiese S, Steinbüchel A: A general method for identification of polyhydroxyalkanoic acid synthase genes from pseudomonas belonging to the rRNA homology group I 669

Tokuyama S, Miya H, Hatano K, Takahashi T: Purification and properties of a novel enzyme, *N*-acylamino acid racemase, from *Streptomyces atratus* Y-53 835

Torre MA de la, Gomez-Alarcon G, Palacios JM: "In vitro" biofilm formation by *Penicillium frequentans* strains on sandstone, granite, and limestone 408

Tsuchiya K, Gomi K, Kitamoto K, Kumagai C, Tamura G: Secretion of calf chymosin from the filamentous fungus *Aspergillus oryzae* 327

Ueda M, Sashida R, Yamada H, Asano Y: Production of (*S*)-(+)-citramalic acid from itaconic acid by resting cells of *Alcaligenes denitrificans* strain MCI2775 466

Vaccari G, González-Vara y R. A, Campi AL, Dosi E, Brigidi P, Matteuzzi D: Fermentative production of L-lactic acid by *Lactobacillus casei* DSM 20011 and product recovery using ion exchange resins 23

Valentin HE, Steinbüchel A: Application of enzymatically synthesized short-chain-length hydroxy fatty acid coenzyme A thioesters for assay of polyhydroxyalkanoic acid synthases 699

Valentin HE, Lee EY, Choi CY, Steinbüchel A: Identification of 4-hydroxyhexanoic acid as a new constituent of biosynthetic polyhydroxyalkanoic acids from bacteria 710

Vance I, Brink DE: Propionate-driven sulphate-reduction by oil-field bacteria in a pressurised porous rock bioreactor 920

Visser A, Beeksma I, Zee F van der, Stams AJM, Lettinga G: Anaerobic degradation of volatile fatty acids at different sulphate concentrations 549

Visser A, Alphenaar PA, Gao Y, Rossum G van, Lettinga G: Granulation and immobilisation of methanogenic and sulfate-reducing bacteria in high-rate anaerobic reactors 575

Volkering F, Breure AM, Andel JG van: Effect of micro-organisms on the bioavailability and biodegradation of crystalline naphthalene 535

Vuyst L De, Vandamme EJ: Influence of the phosphorus and nitrogen source on nisin production in *Lactococcus lactis* subsp. *lactis* batch fermentations using a complex medium 17

Williams DR, Anderson AJ, Dawes EA, Ewing DF: Production of a co-polyester of 3-hydroxybutyric acid and 3-hydroxyvaleric acid from succinic acid by *Rhodococcus ruber:* biosynthetic considerations 717

Yamano Y, Nishikawa T, Komatsu Y: Ferric iron transport system of *Pseudomonas aeruginosa* PAO1 that functions as the uptake pathway of a novel catechol-substituted cephalosporin, S-9096 892

Yu P, Welander T: Anaerobic treatment of kraft bleaching plant effluent 806